

Coordinates



Ghostwriter

Participant

Judiciously

Rainbowlike

Sensibility

BACKBREAKER

GENERALISED

EQUILIBRIUM

MAGNIFICENT

CENTERPIECE

Quicksilver

Unequivocal

Mischievous

Reinforcing

Caterpillar

UNDISCLOSED

HEXADECIMAL

SAXOPHONIST

POCKETKNIFE

GINGERBREAD

Light 11 Pt.

The planet may have formed from the solar nebula with a different rotation period and obliquity, reaching its current state *because of chaotic spin changes* caused by planetary perturbations and tidal effects on its dense atmosphere, a change that *would have occurred* over the course of billions of years. The rotation period of Venus may represent an equilibrium state between tidal

Regular 11 Pt.

The planet may have formed from the solar nebula with a different rotation period and obliquity, reaching its current state *because of chaotic spin changes* caused by planetary perturbations and tidal effects on its dense atmosphere, a change that *would have occurred* over the course of billions of years. The rotation period of Venus may represent an equilibrium state between tidal

Medium 11 Pt.

The planet may have formed from the solar nebula with a different rotation period and obliquity, reaching its current state *because of chaotic spin changes* caused by planetary perturbations and tidal effects on its dense atmosphere, a change that *would have occurred* over the course of billions of years. The rotation period of Venus may represent an equilibrium state between tidal

SemiBold 11 Pt.

The planet may have formed from the solar nebula with a different rotation period and obliquity, reaching its current state *because of chaotic spin changes* caused by planetary perturbations and tidal effects on its dense atmosphere, a change that *would have occurred* over the course of billions of years. The rotation period of Venus may represent an equilibrium state between tidal

Bold 11 Pt.

The planet may have formed from the solar nebula with a different rotation period and obliquity, reaching its current state *because of chaotic spin changes* caused by planetary perturbations and tidal effects on its dense atmosphere, a change that *would have occurred* over the course of billions of years. The rotation period of Venus may represent an equilibrium state between tidal

Coordinates Text Settings

Light 9pt.

The absence of evidence of lava flow accompanying any of the visible calderas remains an enigma. The planet has few impact craters, demonstrating that the surface is relatively young, approximately 300-600 million years old. *Venus has some unique surface features in addition to the impact craters, mountains, and valleys commonly found on rocky planets.* Among these are flat-topped volcanic features called “farra”, which look somewhat like pancakes and range in size from 20 to 50 km (12 to 31 mi) across, and from 100 to 1,000 m (330 to 3,280 ft) high; radial, star-like fracture systems called “novae”; features with *both radial and concentric fractures* resembling spider webs, known as “arachnoids”; and “coronae”, circular rings of fractures sometimes surrounded by a depression. These features are volcanic in origin.

Regular 9pt.

The absence of evidence of lava flow accompanying any of the visible calderas remains an enigma. The planet has few impact craters, demonstrating that the surface is relatively young, approximately 300-600 million years old. *Venus has some unique surface features in addition to the impact craters, mountains, and valleys commonly found on rocky planets.* Among these are flat-topped volcanic features called “farra”, which look somewhat like pancakes and range in size from 20 to 50 km (12 to 31 mi) across, and from 100 to 1,000 m (330 to 3,280 ft) high; radial, star-like fracture systems called “novae”; features with *both radial and concentric fractures* resembling spider webs, known as “arachnoids”; and “coronae”, circular rings of fractures sometimes surrounded by a depression. These features are volcanic in origin.

Medium 9pt.

The absence of evidence of lava flow accompanying any of the visible calderas remains an enigma. The planet has few impact craters, demonstrating that the surface is relatively young, approximately 300-600 million years old. *Venus has some unique surface features in addition to the impact craters, mountains, and valleys commonly found on rocky planets.* Among these are flat-topped volcanic features called “farra”, which look somewhat like pancakes and range in size from 20 to 50 km (12 to 31 mi) across, and from 100 to 1,000 m (330 to 3,280 ft) high; radial, star-like fracture systems called “novae”; features with *both radial and concentric fractures* resembling spider webs, known as “arachnoids”; and “coronae”, circular rings of fractures sometimes surrounded by a depression. These features are volcanic in origin.

SemiBold 9pt.

The absence of evidence of lava flow accompanying any of the visible calderas remains an enigma. The planet has few impact craters, demonstrating that the surface is relatively young, approximately 300-600 million years old. *Venus has some unique surface features in addition to the impact craters, mountains, and valleys commonly found on rocky planets.* Among these are flat-topped volcanic features called “farra”, which look somewhat like pancakes and range in size from 20 to 50 km (12 to 31 mi) across, and from 100 to 1,000 m (330 to 3,280 ft) high; radial, star-like fracture systems called “novae”; features with *both radial and concentric fractures* resembling spider webs, known as “arachnoids”; and “coronae”, circular rings of fractures sometimes surrounded by a depression. These features are volcanic in origin.

abcdefghijklmnopqrstuvwxyz

á â ã ä å æ à ā ą ã å ć ċ ç ĉ ċ d' đ é ě ě ê ë è ē ę ğ ğ ğ ğ ħ ħ í ĭ

î ï ì ï î ĳ ĵ ķ ł ľ ı ɭ ń ņ ñ ò ó ô ö œ ò ó õ ø ø õ ř ř ʀ ś š

ș ș ş ß € ¤ ú ů û ü ù ú ū Ÿ ŷ ý ý ž ž ž ě ŋ þ fi fl

A B C D E F G H I J K L M N O P Q R S T U V W X Y Z

Á Â Ã Ä Å Æ Ç È É Ê Ë Ì Í Î Ï Ñ Ò Ó Ô Õ Ö × Ø Ù Ú Û Ü Ý Þ ß à á â ã

Î Ï Ĩ İ Ñ Ŋ Œ Ø Ó Ô Õ Ö × Ø Ù Ú Û Ü Ý Þ ß à á â ã

Š š Š š Ŧ ř Ů ů Ű û Û ü Ü ú Ľ ľ Ŭ ŭ Ñ ñ Ò ó Ô ô Ö ö Ý ý Ÿ ý Ž ž Ž ž Đ đ Þ

0 1 2 3 4 5 6 7 8 9 \$ € £ ¢ ¥ f x

$$< \leq - \times \div + \pm = \neq \neg \approx \sim \geq > \quad \diamond \infty \int \partial \sqrt{\Delta \Omega} \prod \sum \mu \pi$$

/ % % 1/2 1/4 3/4 1/3 2/3 1/8 3/8 5/8 7/8

(){}[]/\- - - | | § ^ @ & ! ? ¡ ¢ † ‡

© ® ™ ª ° • * _ . : ; / , - ' " " " < > « » _____

१

á â ã ä å æ à ā q ã å ć Ć ç ĉ ċ d' đ é ě ê ë è ē ę ġ ĝ ğ ħ ĥ í Ĩ
î ï ì ï ī į j ſ Ł ł Í Ĺ ĺ Ľ Ļ Ħ ḥ ṅ ṇ ñ ó õ ô ö ø ò ó ō ∅ ∂ ã ř ŕ Ꞥ ś š
ș ș ş ß € ¢ ₣ ú û ü ù ú ū y ŷ ŭ ũ w̄ w̃ ẅ́ ẅ́ ý ŷ ŷ ý ž ž ž đ η ρ fi fl

Á Â Ã Ä Å Æ Ç È É Ê Ë Ì Í Î Ï Ñ Ò Ó Ô Õ Ö × Ø Ù Ú Û Ü Ý Þ ß à á â ã
 ä å æ ç è é ê ë ì í î ï ð ñ ò ó ô õ ö ÷ ø ù ú û ü ý þ ß à á â ã
 ä å æ ç è é ê ë ì í î ï ð ñ ò ó ô õ ö ÷ ø ù ú û ü ý þ ß

$$<\leq-\times\div+\pm=\neq\neg\approx\sim\geq>\quad\Diamond^\infty\int\partial\sqrt{\Delta\Omega}\pi\zeta\mu\pi$$

() { } [] / \ - - - | ! \$ ^ @ & ! ? ; ; † ‡

97

Coordinates

Language Coverage	Afrikaans, Albanian, Basque, Bokmål, Bosnian, Breton, Catalan, Cornish, Croatian, Czech, Danish, Dutch, English, Esperanto, Estonian, Faroese, Finnish, French, Frisian, Friulian, Gaelic (Manx), Gaelic (Scottish), Gagauz (Latin), Galician, German, Hawaiian, Hungarian, Icelandic, Indonesian, Irish, Irish Gaelic, Italian, Karelian, Ladin, Latvian, Lithuanian, Luxemburgish, Maltese, Moldavian (Latin), Norwegian, Polish, Portuguese, Rhaeto-Romanic, Romanian, Sami, Serbian (Latin), Slovak, Slovenian, Sorbian, Spanish, Swahili, Swedish, Turkish and Welsh.
--------------------------	--

Fonts	(10) Light, Regular, Medium, SemiBold & Bold + Italics
--------------	--

Formats	OpenType, WOFF2, WOFF & EOT
----------------	-----------------------------

Design & Production	Eric Olson
--------------------------------	------------

Released	November 2018
-----------------	---------------

Available	www.processtype.com
------------------	--
